



PERFORMANCE IN THE FIELD

CASE STUDY

January 2023
Suburban New York



OVERVIEW

This case study involves a suburban home that required light remediation top to bottom. Our entire suite of mold solutions were used to deliver fantastic results.

RE-Hydro was used in the basement for heavier cleaning. BIO-Clean was utilized in the finished areas of the home for a thorough cleaning without damaging surface finishes. Finally, all three levels of the home were then fogged with DE-Mold to sanitize the indoor air and penetrate construction materials for the elimination of mold, bacteria, viruses, allergens, etc.

SOLUTIONS USED

DE-MOLD Plant-based biological fog

RE-HYDRO Hydrogen Peroxide heavy duty surface cleaner

BIO-CLEAN Plant-based biological surface cleaner

1.5 Days to complete work

2 Technicians performing work

3 Solutions used for remediation

RESULTS

Organism	Pre Counts	Post Counts	Reduction
Aspergillus / Penicillium	3,600	40	98.9%
Cladosporium	90	None Detected	100%
Stachybotrys	11,200	100	99.1%
Total Spore	15,210	310	98.0%



EMSL Analytical, Inc.

528 Mineola Avenue Carle Place, NY 11514

Tel/Fax: (516) 997-7251 / (516) 997-7528

<http://www.EMSL.com / carleplacelab@emsl.com>

EMSL Order: 062300004

Customer ID: FPNY42

Customer PO:

Project ID:

Attention:

[Redacted]

Malverne, NY 11565

Collected Date: 01/02/2023

Received Date: 01/03/2023 08:46 AM

Analyzed Date: 01/03/2023

Project:

[Redacted]

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number:	062300004-0001			062300004-0002			062300004-0003		
Client Sample ID:	1			2			3		
Volume (L):	75			75			75		
Sample Location:	Basement			Kitchen			Upstairs Hall W/AC		
Spore Types	Raw Count	Count/m²	% of Total	Raw Count	Count/m²	% of Total	Raw Count	Count/m²	% of Total
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-
Ascospores	1	40	0.3	-	-	-	-	-	-
Aspergillus/Penicillium	83	3600	23.7	26	1100	29.1	12	520	36.4
Basidiospores	3	100	0.7	10	440	11.6	12	520	36.4
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium++	2	90	0.6	1	40	1.1	-	-	-
Cladosporium	2	90	0.6	-	-	-	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium++	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	1*	10*	0.1	-	-	-	-	-	-
Pithomyces++	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-
Stachybotrys/Memnoniella	257	11200	73.6	8	300	7.9	2	90	6.3
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Zygomycetes	-	-	-	-	-	-	-	-	-
Ascotricha	1	40	0.3	43	1900	50.3	8	300	21
Aureobasidium++	1	40	0.3	-	-	-	-	-	-
Total Fungi	351	15210	100	88	3780	100	34	1430	100
Hyphal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	2	-	-	2	-	-	1	-
Fibrous Particulate (1-4)	-	2	-	-	1	-	-	1	-
Background (1-5)	-	4	-	-	2	-	-	2	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Daniel Clarke, Asbestos Laboratory Manager
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. Skin & Fibrous ratings: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-100%) of the background particles.

Samples analyzed by EMSL Analytical, Inc. Carle Place, NY AIHA LAP, LLC-EMLAP Accredited #102344

Initial report from: 01/03/2023 03:53 PM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

528 Mineola Avenue Carle Place, NY 11514
Tel/Fax: (516) 997-7251 / (516) 997-7528
<http://www.EMSL.com / carleplacelab@emsl.com>

EMSL Order: 062300004

Customer ID: FPNY42

Customer PO:

Project ID:

Attention:

Malverne, NY 11565

Project:

Collected Date: 01/02/2023

Received Date: 01/03/2023 08:46 AM

Analyzed Date: 01/03/2023

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number:	062300004-0004			062300004-0005			062300004-0006		
Client Sample ID:	4			5			6		
Volume (L):	75			75			75		
Sample Location:	Upstairs Hall No A/C			Master Bed w/AC Heat			Master Bed No A/C		
Spore Types	Raw Count	Count/m²	% of Total	Raw Count	Count/m²	% of Total	Raw Count	Count/m²	% of Total
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	-	-	-	-	-	-
Aspergillus/Penicillium	10	440	40.7	5	200	51.3	2	90	30
Basidiospores	5	200	18.5	2	90	23.1	4	200	66.7
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium++	-	-	-	-	-	-	-	-	-
Cladosporium	1	40	3.7	-	-	-	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium++	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	-	-	-	-	-	-	-	-	-
Pithomyces++	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis/Microascus	-	-	-	-	-	-	-	-	-
Stachybotrys/Memnoniella	3	100	9.3	-	-	-	1*	10*	3.3
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Zygomycetes	-	-	-	-	-	-	-	-	-
Ascotricha	6	300	27.8	3	100	25.6	-	-	-
Aureobasidium++	-	-	-	-	-	-	-	-	-
Total Fungi	25	1080	100	10	390	100	7	300	100
Hyphal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	2	-	-	1	-	-	2	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	2	-	-	1	-	-	1	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Daniel Clarke, Asbestos Laboratory Manager
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. Skin & Fibrous ratings: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-100%) of the background particles.

Samples analyzed by EMSL Analytical, Inc. Carle Place, NY AIHA LAP, LLC-EMLAP Accredited #102344

Initial report from: 01/03/2023 03:53 PM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

528 Mineola Avenue Carle Place, NY 11514

Tel/Fax: (516) 997-7251 / (516) 997-7528

<http://www.EMSL.com / carleplacelab@emsl.com>

EMSL Order: 062300004

Customer ID: FPNY42

Customer PO:

Project ID:

Attention:

[Redacted]
[Redacted]
[Redacted]

Malverne, NY 11565

Collected Date: 01/02/2023

Received Date: 01/03/2023 08:46 AM

Analyzed Date: 01/03/2023

Project:

[Redacted]

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number:	062300004-0007		
Client Sample ID:	7		
Volume (L):	75		
Sample Location:	Outside		
Spore Types	Raw Count	Count/m³	% of Total
Alternaria (Ulocladium)	4*	50*	1.4
Ascospores	9	400	11
Aspergillus/Penicillium	2	90	2.5
Basidiospores	60	2600	71.4
Bipolaris++	-	-	-
Chaetomium++	-	-	-
Cladosporium	7	300	8.2
Curvularia	-	-	-
Epicoccum	-	-	-
Fusarium++	-	-	-
Ganoderma	-	-	-
Myxomycetes++	4	200	5.5
Pithomyces++	-	-	-
Rust	-	-	-
Scopulariopsis/Microascus	-	-	-
Stachybotrys/Memnoniella	-	-	-
Unidentifiable Spores	-	-	-
Zygomycetes	-	-	-
Ascotricha	-	-	-
Aureobasidium++	-	-	-
Total Fungi	86	3640	100
Hyphal Fragment	-	-	-
Insect Fragment	-	-	-
Pollen	-	-	-
Analyt. Sensitivity 600x	-	44	-
Analyt. Sensitivity 300x	-	13*	-
Skin Fragments (1-4)	-	1	-
Fibrous Particulate (1-4)	-	1	-
Background (1-5)	-	2	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Daniel Clarke, Asbestos Laboratory Manager
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. Skin & Fibrous ratings: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-100%) of the background particles.

Samples analyzed by EMSL Analytical, Inc. Carle Place, NY AIHA LAP, LLC-EMLAP Accredited #102344

Initial report from: 01/03/2023 03:53 PM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

528 Mineola Avenue Carle Place, NY 11514

Tel/Fax: (516) 997-7251 / (516) 997-7528

<http://www.EMSL.com / carleplacelab@emsl.com>

EMSL Order: 062300916

Customer ID: [REDACTED]

Customer PO: Auth #142296

Project ID:

Attention: [REDACTED]

Malverne, NY 11565

Project: [REDACTED]

Collected Date: 01/17/2023

Received Date: 01/17/2023 06:48 PM

Analyzed Date: 01/20/2023

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number:	062300916-0001			062300916-0002			062300916-0003		
Client Sample ID:									
Volume (L):	75			75			75		
Sample Location:	Kitchen			Basement			Hall Upstairs		
Spore Types	Raw Count	Count/m²	% of Total	Raw Count	Count/m²	% of Total	Raw Count	Count/m²	% of Total
Alternaria (Ulocladium)	-	-	-	-	-	-	-	-	-
Ascospores	-	-	-	1	40	12.9	-	-	-
Aspergillus/Penicillium	6	300	62.5	1	40	12.9	-	-	-
Basidiospores	1	40	8.3	2	90	29	2	90	42.9
Bipolaris++	-	-	-	-	-	-	-	-	-
Chaetomium++	-	-	-	-	-	-	1	40	19
Cladosporium	-	-	-	-	-	-	-	-	-
Curvularia	-	-	-	-	-	-	-	-	-
Epicoccum	-	-	-	-	-	-	-	-	-
Fusarium++	-	-	-	-	-	-	-	-	-
Ganoderma	-	-	-	-	-	-	-	-	-
Myxomycetes++	1	40	8.3	1	40	12.9	1	40	19
Pithomyces++	-	-	-	-	-	-	-	-	-
Rust	-	-	-	-	-	-	-	-	-
Scopulariopsis/Microascus	3	100	20.8	-	-	-	-	-	-
Stachybotrys/Memnoniella	-	-	-	3	100	32.3	1	40	19
Unidentifiable Spores	-	-	-	-	-	-	-	-	-
Zygomycetes	-	-	-	-	-	-	-	-	-
Total Fungi	11	480	100	8	310	100	5	210	100
Hyphal Fragment	-	-	-	-	-	-	-	-	-
Insect Fragment	-	-	-	-	-	-	-	-	-
Pollen	-	-	-	-	-	-	-	-	-
Analyt. Sensitivity 600x	-	44	-	-	44	-	-	44	-
Analyt. Sensitivity 300x	-	13*	-	-	13*	-	-	13*	-
Skin Fragments (1-4)	-	1	-	-	2	-	-	1	-
Fibrous Particulate (1-4)	-	1	-	-	1	-	-	1	-
Background (1-5)	-	3	-	-	2	-	-	3	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Daniel Clarke, Asbestos Laboratory Manager
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. *** Denotes particles found at 300X. * Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. Skin & Fibrous ratings: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-100%) of the background particles.

Samples analyzed by EMSL Analytical, Inc. Carle Place, NY AIHA LAP, LLC-EMLAP Accredited #102344

Initial report from: 01/20/2023 10:31 AM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com



EMSL Analytical, Inc.

528 Mineola Avenue Carle Place, NY 11514

Tel/Fax: (516) 997-7251 / (516) 997-7528

<http://www.EMSL.com / carleplacelab@emsl.com>

EMSL Order: 062300916

Customer ID: [REDACTED]

Customer PO: Auth #142296

Project ID:

Attention: [REDACTED]

Malverne, NY 11565

Project: [REDACTED]

Collected Date: 01/17/2023

Received Date: 01/17/2023 06:48 PM

Analyzed Date: 01/20/2023

Test Report: Air-O-Cell™ Analysis of Fungal Spores & Particulates by Optical Microscopy (Methods MICRO-SOP-201, ASTM D7391)

Lab Sample Number:	062300916-0004		
Client Sample ID:			
Volume (L):	75		
Sample Location:	Outside		
Spore Types	Raw Count	Count/m³	% of Total
Alternaria (Ulocladium)	1	40	2.5
Ascospores	-	-	-
Aspergillus/Penicillium	-	-	-
Basidiospores	1*	10*	0.6
Bipolaris++	-	-	-
Chaetomium++	-	-	-
Cladosporium	27	1200	75.9
Curvularia	-	-	-
Epicoccum	5	200	12.7
Fusarium++	-	-	-
Ganoderma	-	-	-
Myxomycetes++	2	90	5.7
Pithomyces++	-	-	-
Rust	1	40	2.5
Scopulariopsis/Microascus	-	-	-
Stachybotrys/Memnoniella	-	-	-
Unidentifiable Spores	-	-	-
Zygomycetes	-	-	-
Total Fungi	37	1580	100
Hyphal Fragment	-	-	-
Insect Fragment	-	-	-
Pollen	-	-	-
Analyt. Sensitivity 600x	-	44	-
Analyt. Sensitivity 300x	-	13*	-
Skin Fragments (1-4)	-	1	-
Fibrous Particulate (1-4)	-	1	-
Background (1-5)	-	3	-

++ Includes other spores with similar morphology; see EMSL's fungal glossary for each specific category.

Daniel Clarke, Asbestos Laboratory Manager
or other Approved Signatory

No discernable field blank was submitted with this group of samples.

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. High levels of background particulate can obscure spores and other particulates, leading to underestimation. Background levels of 5 indicate an overloading of background particulates, prohibiting accurate detection and quantification. Present = Spores detected on overloaded samples. Results are not blank corrected unless otherwise noted. The detection limit is equal to one fungal spore, structure, pollen, fiber particle or insect fragment. "*" Denotes particles found at 300X. "-" Denotes not detected. Due to method stopping rules, raw counts in excess of 100 are extrapolated based on the percentage analyzed. Skin & Fibrous ratings: 1 (1-25%), 2 (26-50%), 3 (51-75%), 4 (76-100%) of the background particles.

Samples analyzed by EMSL Analytical, Inc. Carle Place, NY AIHA LAP, LLC-EMLAP Accredited #102344

Initial report from: 01/20/2023 10:31 AM

For information on the fungi listed in this report, please visit the Resources section at www.emsl.com